

Adolescent Family Life Program Data Update -- 2006

Maternal, Child and Adolescent Health Program
Center for Family Health




Adolescent Family Life Program (AFLP) Background

- AFLP originated as a pilot project in 1982.
- California legislation provided statutory authorization for AFLP in 1988.
- During the formative years of AFLP, 27 agencies provided services to clients throughout California.
- In 1996, AFLP expanded to 46 agencies. Providers include:
 - Private non-profits
 - Public health departments and social service agencies
 - Hospitals, community clinics
 - Universities and local school districts
- In 2003, AFLP was reduced to 43 agencies, due primarily to budget constraints.



Male and Female Clients Served by AFLP 1996 to 2006





AFLP Client Profile

- Over 95% of AFLP clients are female
- AFLP targets a high risk population
- Each AFLP agency establishes its own risk criteria to prioritize clients. Common risk factors include:
 - Less than age 16
 - Chronic health conditions
 - Non-supportive parents
 - Unsafe/unstable home environment
 - Substance abuse/use
 - Mental health issues
 - Academic failure
 - Juvenile justice involvement
 - Gang involvement



Risk Profile at Program Entry for Females Clients served by AFLP in 2006

	<i>Number</i>	<i>Percent</i>
Total Female Clients	15,877	
Medi-Cal enrollment	10,986	69%
Client physical abuse (known or suspected)	574	4%
Client sexual abuse (known or suspected)	544	3%
Alcohol abuse	330	2%
Substance abuse	490	3%
Juvenile justice involvement	1,088	7%
Gang involvement (known or suspected)	230	1%



Client Characteristics for Female Clients served by AFLP in 2006

Demographic Profile of Female Clients at Entry into AFLP Program		
	<i>Number</i>	<i>Percent</i>
Total	15,877	
Age		
<15	1,382	9%
15	2,835	18%
16	4,450	28%
17	4,811	30%
18	2,228	14%
19+	171	1%
Race/Ethnicity		
Hispanic	12,379	78%
White, non-Hispanic	1,495	9%
African-American, non-Hispanic	1,054	7%
Asian/Pacific Islander, non-Hispanic	311	2%
Other, non-Hispanic	638	4%



Client Characteristics (Cont'd) for Female Clients served by AFLP in 2006

Pregnancy and Parenting Status of Female Clients at Entry into the AFLP Program		
	<i><u>Number</u></i>	<i><u>Percent</u></i>
Pregnancy and Parenting Status		
Pregnant, not currently parenting	8,904	56%
Pregnant and parenting	388	2%
Parenting, not pregnant	6,570	41%
Data missing	15	<1%
Total Female Clients	15,877	
Trimester of Pregnancy at Program Entry		
First Trimester (1-13 weeks)	2,468	26.5%
Second Trimester (14-26 weeks)	3,866	41.5%
Third Trimester (27+ weeks)	2,698	29.0%
Data missing	275	3.0%
Total Pregnant Clients	9,307	



AFLP Outcome Indicators

- Referrals
 - Food security
 - Housing
 - Healthcare
 - Parenting Education
 - Child Care
 - Employment
- Repeat Pregnancy
- Educational success



Referral Services for Clients served by AFLP in 2006

Total: 10,368 clients who were served by AFLP in 2006 and had at least one follow-up visit.

Services are for clients, unless "for child" is indicated.

Service	Of those who needed the service:						
	Needed service	Did not need service	Need unknown	Were receiving service at AFLP intake	Referred through AFLP / received service	Referred through AFLP / did not receive service*	Not referred**
WIC for Child	98%	0%	0%	50%	48%	1%	0%
Medi-Cal for Child	98%	1%	0%	40%	57%	1%	0%
WIC	96%	3%	0%	78%	19%	1%	0%
Medi-Cal	95%	3%	0%	73%	23%	2%	1%
Education	95%	4%	0%	61%	22%	14%	1%
Family Planning	91%	7%	0%	24%	56%	17%	2%
Parenting Education	73%	25%	0%	35%	38%	22%	4%
Primary Preventive Health	70%	28%	0%	62%	31%	4%	1%
Primary Preventive Health for Child	68%	30%	0%	37%	60%	1%	0%
Child Day Care	63%	35%	1%	15%	56%	22%	5%
Employment	50%	47%	1%	10%	51%	27%	10%
Transportation	45%	52%	1%	38%	38%	16%	6%
Food Stamps	42%	55%	1%	19%	34%	30%	14%
CalWORKs	38%	59%	1%	11%	31%	28%	28%
Housing	36%	62%	1%	38%	26%	30%	4%
Domestic Violence Intervention	10%	86%	2%	10%	34%	48%	6%


*Of those who were referred but did not receive the service, reasons for non-receipt of services include: Client has not yet attempted to access service, Service was not accessible, Client did not follow through, and Client refused service.

**Of those who needed the service but were not referred, reasons for non-referral include: Service not available, Client not eligible for service, and Client not yet referred.



Contraceptive Indicators at Most Recent Follow-up for Female Clients Served by AFLP in 2006

Contraceptive Use at Program Entry and Most Recent Follow-up (n=1,782)*




*Of the 9,275 female clients who were active in 2006 and for whom both intake and follow-up forms were available, there were 1,782 for whom data on contraceptive use were available and who were sexually active and not pregnant at both intake and follow-up



Contraceptive Indicators at Most Recent Follow-up for Female Clients Served by AFLP in 2006 (Cont'd)

Contraceptive Use at Most Recent Follow-up for Female Clients who were Pregnant at Program Entry (n=2,905)*




*Of the 9,275 female clients who were active in 2006 and for whom both intake and follow-up forms were available, there were 2,905 for whom data on contraceptive use were available and who were pregnant at intake and sexually active at most recent follow-up.



Education Indicators at Most Recent Follow-up for Female Clients Served by AFLP in 2006

School Status at Program Entry and Most Recent Follow-up for Clients Age <18 at Most Recent Follow-up

(N=4,082)





Education Indicators at Most Recent Follow-up for Female Clients Served by AFLP in 2006 (Cont'd)

**School Status at Program Entry and Most Recent Follow-up
for Clients Age 18+ at Most Recent Follow-up
(N=5,193)**

